

Security products – Fixed grilles

Issued to

ABC Ventilationsprodukter AB

Industrigatan 6, SE-504 62 Borås, Sweden

manufacturing site

ABC Ventilationsprodukter AB, Verkstadsgatan 7, SE-504 62 Borås, Sweden

Product and product description

Fixed grilles for installation in ventilation duct, roof transition or wall for burglary resistance. Manufactured from austenitic stainless steel EN 1.4301 with material thickness ≥ 1.5 . Available in both rectangular and circular designs with maximum outer dimensions: rectangular 1190 x 1190 mm, for an opening 1200 x 1200 mm circular \varnothing 1490 mm, for an opening \varnothing 1500 mm

The rectangular grid can also be installed in a split design in an opening up to 2400 x 2400 mm.

Product name

ABC-IBZ

Certificate

The products described above fulfils the requirements in EN 1627:2021 and RISE Certification rules for security products SPCR 201 issue 2021-09-07.

Classification according to EN 1627:2021

Resistance class, RC 3

Marking

The marking shall fulfil the requirements of EN 1627:2021 Annex E. Products that comply with SPCR 201 may also be marked with RISE certification mark according to the requirements in SPCR 201 section 3.4.

Validity

This certificate is valid until not longer than 2028-10-06. The validity of this certificate can be verified on RISE website.

Miscellaneous

The manufacturer's in-house inspection is under surveillance by RISE in accordance with section 4 and 5 of SPCR 201. Other terms and conditions are set out in section 6 of SPCR 201.



Martin Tillander

Certificate C900894 | issue 1 | 2023-10-06
RISE Research Institutes of Sweden AB | Certification
Box 857, SE-501 15 Borås, Sweden
☎ +46 10 516 50 00 | certifiering@ri.se | www.ri.se

11995418

This document is the property of RISE and may not be reproduced other than in full, except with the prior written approval by RISE

