

## Security grilles

### Issued to

## ABC Ventilationsprodukter AB

Industrigatan 6, SE-504 62 Borås, Sweden

manufacturing site

ABC Ventilationsprodukter AB, Verkstadsgatan 7, SE-504 62 Borås, Sweden

### Product description

Fixed grilles for installation in ventilation duct, roof transition or wall for burglary resistance. Manufactured from austenitic stainless steel EN 1.4301 with material thickness  $\geq 1.5$ . Available in both rectangular and circular designs with maximum outer dimensions: rectangular 1190 x 1190 mm, for an opening 1200 x 1200 mm  
circular  $\varnothing$  1490 mm, for an opening  $\varnothing$  1500 mm

The rectangular grid can also be installed in a split design in an opening up to 2400 x 2400 mm.

### Product name

ABC-IBZ

### Certificate

The products described above fulfil the requirements as burglary resistant grilles in SSF 012 edition 3 and RISE certification rule, SPCR 177, Certification rules for Standards issued by Swedish Theft Prevention Association (SSF), issue 2022-05-10.

### Classification according to SSF 012 edition 3

Class 3.

### Marking

The marking shall fulfil the requirements of SSF 012 section 7. Products that comply with SPCR 177 may also be marked with RISE P-mark according to the requirements in SPCR 177 section 4.3.

### Validity

This certificate is valid until not longer than 2028-10-07. The validity of this certificate can be verified at RISE homepage. This edition of the certificate replaces previous editions.

### Miscellaneous

The manufacturer's factory production control is under surveillance by RISE in accordance with section 5 and 6 of SPCR 177. Other terms and conditions are set out in section 7 of SPCR 177.



Martin Tillander

*This is a translation from the Swedish original document. In the event of any dispute as to its content, the Swedish original shall take precedence.*

Certificate SC0682-18 | issue 2 | 2023-10-06

RISE Research Institutes of Sweden AB | Certification

Box 857, SE-501 15 Borås, Sweden

+46 10 516 50 00 | certifiering@ri.se | www.ri.se

1195387

This document is the property of RISE and may not be reproduced other than in full, except with the prior written approval by RISE

Page 1 (1)